

Product specification

S-Monovette® neutral Z, 9 ml, cap white, (LxØ): 92 x 16

mm, with paper label



Product information

Product descriptions

Name	S-Monovette® neutral Z, 9 ml, cap white, (LxØ): 92 x 16 mm, with paper label
Product number	02.1726.001
Product description	S-Monovette® neutral Z, without preparation, 9 ml, membrane screw cap, cap white, (LxØ) without cap: 92 x 16 mm, with paper label, label/print: black, 50 piece(s)/case, sterile

Material & colours

Piston rod material Polystyrene (PS) Tube material Polypropylene (PP)
Tube material Polypropylene (PP)
Piston material High Density Polyethylene (HD-PE)
Membrane material Rubber
Closure material High Density Polyethylene (HD-PE)
Color of cap white



Size

Diameter 16 mm

Length excluding cap	92 mm
Length including cap	108 mm
Length including cap and plunger	129 mm
Sample volume	9 ml

Product characteristics

Label/Print	With paper label
Color of print/label	black
Graduation	Fill mark
Сар	Membrane screw cap
Closure type	Screw cap
Connection	Membrane screw cap
Type of collection	venous
Centrifugation recommended	2000 x g
Centrifugation temperature	20 °C
Centrifugation time	10 Min
Liquid-tight	yes

Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In-vitro diagnostic (IVD)
CE certified	CE - manufacturer's self-declaration
Purity standard	sterile
Sterilisation	Electron irradiation
Batched	yes

Packaging	
Piece(s) / inner box	50
Piece(s) / case	500
Piece(s) / pallet	24000
Height of inner box	88 mm
Width of inner box	134 mm
Depth of inner box	204 mm
Height of case	150 mm
Width of case	303 mm
Depth of case	648 mm
Volume of case	0.0295 cbm
Weight of case	4.84 kg
EAN inner box	4038917133203
EAN case	4038917024723



This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.



This document was prepared by EDP support and is valid without signature.