

## **Product specification**

S-Monovette® Fluoride/EDTA FE, 2.6 ml, cap grey, (LxØ):

### 65 x 13 mm, with paper label



# **Product information**

### **Product descriptions**

Name	S-Monovette® Fluoride/EDTA FE, 2.6 ml, cap grey, (LxØ): 65 x 13 mm, with paper label
Product number	04.1903.100
Product description	S-Monovette® Fluoride/EDTA FE, preparation: Fluoride + EDTA, 2.6 ml, membrane screw cap, cap grey, colour code ISO, (LxØ) without cap: 65 x 13 mm, with paper label, label/print: grey, 50 piece(s)/case, sterile

#### Material & colours

Color of product	transparent
Piston rod material	Polystyrene (PS)
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Membrane material	Rubber
Closure material	High Density Polyethylene (HD-PE)
Color of cap	grey



Diameter	13 mm
Length excluding cap	65 mm
Length including cap	81 mm
Length including cap and plunger	102 mm
Sample volume	2.6 ml

## Product characteristics

Label/Print	With paper label
Color of print/label	grey
Graduation	Fill mark
Preparation concentration	1.0 mg/ml blood + 1.2 mg/ml blood
Сар	Membrane screw cap
Closure type	Screw cap
Connection	Membrane screw cap
Type of collection	venous
Centrifugation recommended	2000 x g
Centrifugation temperature	20 °C
Centrifugation time	10 Min
Liquid-tight	yes

# Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In-vitro diagnostic (IVD)
CE certified	CE - manufacturer's self-declaration
Purity standard	sterile
Sterilisation	Electron irradiation
Batched	yes

## Packaging

Piece(s) / inner box	50
Piece(s) / case	500
Piece(s) / pallet	42000
Height of inner box	73 mm
Width of inner box	105 mm
Depth of inner box	171 mm
Height of case	125 mm
Width of case	358 mm
Depth of case	388 mm
Volume of case	0.0174 cbm
Weight of case	2.71 kg

EAN inner box EAN case 4038917134217 4038917025522

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This document was prepared by EDP support and is valid without signature. This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

