

Product specification

S-Monovette® EDTA K3E, 1.8 ml, cap violet, (LxØ): 65 x 13

mm, with paper label



Product information

Product descriptions

Name	S-Monovette® EDTA K3E, 1.8 ml, cap violet, (LxØ): 65 x 13 mm, with paper label
Product number	04.1951.100
Product description	S-Monovette® EDTA K3E, K3E, preparation: K3 EDTA, 1.8 ml, membrane screw cap, cap violet, colour code ISO, (LxØ) without cap: 65 x 13 mm, with paper label, label/print: violet, 50 piece(s)/case, sterile

Material & colours

Color of product	transparent
Piston rod material	Polystyrene (PS)
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Membrane material	Rubber
Closure material	High Density Polyethylene (HD-PE)
Color of cap	violet

Size

Diameter	13 mm
Length excluding cap	65 mm
Length including cap	81 mm
Length including cap and plunger	102 mm
Sample volume	1.8 ml

Product characteristics

Label/Print	With paper label
Color of print/label	violet
Graduation	Fill mark
Preparation concentration	1.6 mg/ml blood
Сар	Membrane screw cap
Closure type	Screw cap
Connection	Membrane screw cap
Type of collection	venous
Liquid-tight	yes

Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In-vitro diagnostic (IVD)
CE certified	CE - manufacturer's self-declaration
Purity standard	sterile
Sterilisation	Electron irradiation
Batched	yes

Packaging	
Piece(s) / inner box	50
Piece(s) / case	500
Piece(s) / pallet	42000
Height of inner box	73 mm
Width of inner box	105 mm
Depth of inner box	171 mm
Height of case	125 mm
Width of case	358 mm
Depth of case	388 mm
Volume of case	0.0174 cbm
Weight of case	2.68 kg
EAN inner box	4038917542500
EAN case	4038917542494

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.



This document was prepared by EDP support and is valid without signature.