

Product specification

S-Monovette® Citrate 9NC 0.106 mol/l 3.2%, 4.3 ml, cap

blue, (LxØ): 75 x 13 mm, with paper label



Product information

Product descriptions

| Name | S-Monovette® Citrate 9NC 0.106 mol/l 3.2%, 4.3 ml, cap blue, (LxØ): 75 x 13 mm, with paper label |
|---------------------|---|
| Product number | 04.1922.100 |
| Product description | S-Monovette® Citrate 9NC 0.106 mol/l 3.2%, preparation: Citrate 9NC, 4.3 ml, membrane screw cap, cap blue, colour code ISO, (LxØ) without cap: 75 x 13 mm, with paper label, label/print: blue, 50 piece(s)/case, sterile |

Material & colours

| Color of product | transparent |
|---------------------|-----------------------------------|
| Piston rod material | Polystyrene (PS) |
| Tube material | Polypropylene (PP) |
| Piston material | High Density Polyethylene (HD-PE) |
| Membrane material | Rubber |
| Closure material | High Density Polyethylene (HD-PE) |
| Color of cap | blue |

Size

| Diameter | 13 mm |
|----------------------------------|--------|
| Length excluding cap | 75 mm |
| Length including cap | 91 mm |
| Length including cap and plunger | 112 mm |
| Sample volume | 4.3 ml |

Product characteristics

| Label/Print | With paper label |
|----------------------------|--------------------|
| Color of print/label | blue |
| Graduation | Fill mark |
| Preparation concentration | 0.106 mol/l |
| Сар | Membrane screw cap |
| Closure type | Screw cap |
| Connection | Membrane screw cap |
| Type of collection | venous |
| Centrifugation recommended | 1800 x g |
| Centrifugation temperature | 20 °C |
| Centrifugation time | 10 Min |
| Liquid-tight | yes |

Purity & certification

| Satisfies the requirement | IATA, ADR |
|---------------------------|--------------------------------------|
| Product category | In-vitro diagnostic (IVD) |
| CE certified | CE - manufacturer's self-declaration |
| Purity standard | sterile |
| Sterilisation | Electron irradiation |
| Batched | yes |

| Packaging | |
|----------------------|------------|
| Piece(s) / inner box | 50 |
| Piece(s) / case | 500 |
| Piece(s) / pallet | 39000 |
| Height of inner box | 73 mm |
| Width of inner box | 116 mm |
| Depth of inner box | 171 mm |
| Height of case | 135 mm |
| Width of case | 358 mm |
| Depth of case | 388 mm |
| Volume of case | 0.0188 cbm |

| Weight of case | 3.26 kg |
|----------------|---------------|
| EAN inner box | 4038917134408 |
| EAN case | 4038917025669 |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

This document was prepared by EDP support and is valid without signature.

