

Product specification

Urine Monovette®, Boric acid, 3.2 ml, cap green, (LxØ): 75

x 13 mm, 64 piece(s)/bag



Product information

Product number 10.25	56.001
----------------------	--------

Product descriptions

Name	Urine Monovette®, Boric acid, 3.2 ml, cap green, (LxØ): 75 x 13 mm, 64 piece(s)/bag
Product number	10.256.001
Product description	Urine Monovette®, Boric acid, nominal volume: 3.2 ml, Boric acid, Urine tube, (LxØ): 75 x 13 mm, transparent, fill mark, material: PP, Luer screw cap, cap green, incl. collection tip, with paper label, 64 piece(s)/bag

Material & colours

Color of product	transparent
Piston rod material	Polystyrene (PS)
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Closure material	High Density Polyethylene (HD-PE)
Color of cap	green



Page1

Diameter

13 mm

Length excluding cap	75 mm
Length including cap	90 mm
Length including cap and plunger	109 mm
Sample volume	3.2 ml

Product characteristics

Base shape	Round base
Label/Print	With paper label
Color of print/label	green
Graduation	Fill mark
Light protection	no
Сар	Luer screw cap
Closure type	Screw cap
Connection	Luer (m)
Type of collection	Aspiration
Centrifugation recommended	400 x g
Centrifugation time	5 Min

Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In-vitro diagnostic (IVD)
CE certified	CE - manufacturer's self-declaration
Batched	yes
Safety data sheet	yes

Packaging

Piece(s) / inner box	64
Piece(s) / case	512
Piece(s) / pallet	36864
Height of case	150 mm
Width of case	358 mm
Depth of case	388 mm
Volume of case	0.0208 cbm
Weight of case	3.1034 kg
EAN inner box	4038917982825
EAN case	4038917982832

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

This document was prepared by EDP support and is valid without signature.



