



Product specification

Urine Monovette®, 10 ml, cap yellow, (LxØ): 102 x 15 mm,
64 piece(s)/bag



Product information

Product number	10.252.001
----------------	------------

Product descriptions

Name	Urine Monovette®, 10 ml, cap yellow, (LxØ): 102 x 15 mm, 64 piece(s)/bag
Product number	10.252.001
Product description	Urine Monovette®, nominal volume: 10 ml, without preparation, Urine tube, (LxØ): 102 x 15 mm, transparent, graduated, material: PP, Luer screw cap, cap yellow, incl. collection tip, with paper label, 64 piece(s)/bag

Material & colours

Color of product	transparent
Piston rod material	Polystyrene (PS)
Tube material	Polypropylene (PP)
Piston material	High Density Polyethylene (HD-PE)
Closure material	High Density Polyethylene (HD-PE)
Color of cap	yellow

Size

Diameter	15 mm
Length excluding cap	102 mm

Length including cap	117 mm
Length including cap and plunger	127 mm
Sample volume	10 ml

Product characteristics

Base shape	Round base
Label/Print	With paper label
Color of print/label	yellow
Graduation	yes
Light protection	no
Cap	Luer screw cap
Closure type	Screw cap
Connection	Luer (m)
Example of use	Urine collection, transport, and storage
Type of collection	Aspiration
Centrifugation recommended	400 x g
Centrifugation time	5 Min

Purity & certification

Satisfies the requirement	IATA, ADR
Product category	In-vitro diagnostic (IVD)
CE certified	CE - manufacturer's self-declaration
Batched	yes

Packaging

Piece(s) / inner box	64
Piece(s) / case	512
Piece(s) / pallet	24576
Height of case	210 mm
Width of case	378 mm
Depth of case	388 mm
Volume of case	0.0308 cbm
Weight of case	4.8399 kg
EAN inner box	4038917279932
EAN case	4038917279802

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

This document was prepared by EDP support and is valid without signature.

