

# **Product specification**

# Blood Gas Monovette®, calcium-balanced lithium heparin,

## 2 ml, cap white/orange, connection: Luer (m)



### **Product information**

#### **Product descriptions**

| i roddot docomptiono |  |
|----------------------|--|
| Name                 | Blood Gas Monovette®, calcium-<br>balanced lithium heparin, 2 ml, cap<br>white/orange, connection: Luer (m)  |
| Product number       | 05.1147.048  |
| Product description  | Blood Gas Monovette®, preparation: calcium-balanced lithium heparin, nominal volume: 2 ml, cap white/orange, label/print: transparent/orange, connection: Luer (m), (LxØ) without cap: 66 x 11 mm, with Ventilator assembled, 1 piece(s)/blister, sterile, 100 piece(s)/case |

#### Material & colours

| Color of product    | transparent                       |
|---------------------|-----------------------------------|
| Piston rod material | Polystyrene (PS)                  |
| Tube material       | Polypropylene (PP)                |
| Piston material     | High Density Polyethylene (HD-PE) |
| Closure material    | High Density Polyethylene (HD-PE) |
|                     |                                   |

Page1

Color of cap white/orange

## Size

| Diameter                         | 11 mm  |
|----------------------------------|--------|
| Length excluding cap             | 66 mm  |
| Length including cap             | 82 mm  |
| Length including cap and plunger | 100 mm |
| Sample volume                    | 2 ml   |

### Product characteristics

| Design                    | Ventilator assembled |
|---------------------------|----------------------|
| Label/Print               | With plastic label   |
| Color of print/label      | transparent/orange   |
| Graduation                | Fill mark            |
| Preparation concentration | 50 IU/ml blood       |
| Connection                | Luer (m)             |
| Type of collection        | Arterial and venous  |

# Purity & certification

| Product category | In-vitro diagnostic (IVD)            |
|------------------|--------------------------------------|
| CE certified     | CE - manufacturer's self-declaration |
| Purity standard  | sterile                              |
| Sterilisation    | Electron irradiation                 |
| Batched          | yes                                  |

# Packaging

| Type of inner packaging | Case          |
|-------------------------|---------------|
| Piece(s) / inner box    | 100           |
| Piece(s) / case         | 500           |
| Piece(s) / pallet       | 18000         |
| Height of inner box     | 171 mm        |
| Width of inner box      | 111 mm        |
| Depth of inner box      | 351 mm        |
| Height of case          | 195 mm        |
| Width of case           | 368 mm        |
| Depth of case           | 578 mm        |
| Volume of case          | 0.0415 cbm    |
| Weight of case          | 3.66 kg       |
| EAN inner box           | 4038917125970 |
| EAN case                | 4038917075701 |

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.



This document was prepared by EDP support and is valid without signature.